ELSEVIER

Nuclear Engineering and Design 155 (1995) 653–655

Nuclear Engineering and Design

Contents of Volume 155

CONTENTS OF ISSUES 155(1–2)

Extended and Updated Selected Papers from CSNI Specialists Meeting, Santa Barbara, CA, January 1993 and OJI Seminar, Tomakomai, Japan, October 1993 Devoted to Fuel–Coolant Interactions and Steam Explosions

Preface, *M. Akiyama, D.F. Fletcher and T.G. Theofanous* ix

The study of steam explosions in nuclear systems, *T.G. Theofanous* 1

Steam explosion triggering: a review of theoretical and experimental investigations, *D.F. Fletcher* 27

Externally triggered steam explosion experiments: amplification or propagation?, *R.E. Henry* 37

Simulation technique for dynamic evaporation processes, *T. Yabe, F. Xiao and H. Mochizuki* 45

Transient film boiling under transient conditions related to vapor explosion (effects of transient flow and fragmentation under a shock pressure), *A. Inoue, K. Takahashi, M. Takahashi and M. Matsuzaki* 55

Simulation of shock–interface interaction using a lattice Boltzmann model, *H. Ohashi, Y. Chen and M. Akiyama* 67

Experimental study on simulated molten jet–coolant interactions, *Sa. Kondo, K. Konishi, M. Isozaki, S. Imahori, A. Furutani and D.J. Brear* 73

Validation of the CHYMES mixing model, *D.F. Fletcher and M.K. Denham* 85

Validation of CHYMES: simulant studies, *R.W. Hall and D.F. Fletcher* 97

Premixing-related behavior of steam explosions, *S. Angelini, W.W. Yuen and T.G. Theofanous* 115

Ex-vessel melt–coolant interactions in deep water pool: studies and accident management for Swedish BWRs, *C.C. Chu, J.J. Sienicki, B.W. Spencer, W. Frid and G. Löwenhielm* 159

Breakup of melt jets as pre-condition for premixing: Modeling and experimental verification, *M. Bürger, S.H. Cho, E.v. Berg and A. Schatz* 215

High pressure corium melt quenching tests in FARO, *D. Magallon and H. Hohmann* 253

Propagation investigations using the CULDESAC model, *D.F. Fletcher* 271

The prediction of 2D thermal detonations and resulting damage potential, *W.W. Yuen and T.G. Theofanous* 289

Effect of boundary conditions on the propagation of a vapor explosion in stratified molten tin/water systems, *D.L. Frost, B. Bruckert and G. Ciccarelli* 311

Experiments on steam explosion by interaction of water with silicate melts, *B. Zimanowski, G. Fröhlich and V. Lorenz* 335
A model of vulcanian explosions, *A.W. Woods* 345
Effect of boric acid on the severity of vapor explosions in pure water and surfactant solutions, *W.T.W. Skelton, M.F. Dowling and S.I. Abdel-Khalik* 359
Phenomenological studies on melt–coolant interactions in the ALPHA program, *N. Yamano, Y. Maruyama, T. Kudo, A. Hidaka and J. Sugimoto* 369
FCI experiments in the aluminum oxide/water system, *H. Hohmann, D. Magallon, H. Schins and A. Yerkess* 391
Combined vapor and chemical explosions of metals and water, *D.H. Cho, D.R. Armstrong and R.P. Anderson* 405
Steam explosions of single drops of pure and alloyed molten aluminum, *L.S. Nelson* 413
On the likelihood that underwater metal ignition is a vapor phase phenomenon, *M. Epstein and H.K. Fauske* 427
Quantification of the probability of containment failure caused by an in-vessel steam explosion for the Sizewell B PWR, *B.D. Turland, D.F. Fletcher, K.I. Hodges and G.J. Attwood* 445
The probability of alpha-mode containment failure, *T.G. Theofanous and W.W. Yuen* 459
Experimental results of integral effects tests with 1/10th scale Zion subcompartment structures in the Surtsey test facility, *M.D. Allen, M.M. Pilch, R.O. Griffith and T.K. Blanchat* 475

Instructions to Contributors 495

CONTENTS OF ISSUE 155(3)

Engineering Mechanics

Advanced creep–fatigue evaluation rule for fast breeder reactor components: generalization of elastic follow-up model, *N. Kasahara, T. Nagata, K. Iwata and H. Negishi* 499
Proposal of a new estimation method of thermal ratchetting behavior of fast breeder reactor components, *H. Wada, M. Ueta, M. Ichimiya, T. Ueno, H. Hirayama and S. Takahashi* 519

Materials Engineering
Technical Engineering Notes

Generating material strength standards of aluminum alloys for research reactors. I. Yield strength values S_y and tensile strength values S_u, *H. Tsuji and K. Miya* 527
Generating material strength standards of aluminum alloys for research reactors. II. Design fatigue curve under non-effective creep condition, *H. Tsuji and K. Miya* 547

Reactor Engineering

Development of elevated temperature structural design guide for Japanese demonstration breeder reactor, *K. Takakura, M. Ueta, M. Ichimiya, H. Hirayama, T. Ueno, H. Wada, H. Ozaki and T. Ohsaki* 559
Development of FBR piping bellows joints in Japan, *K. Tsukimori, T. Yamashita, K. Iwata and A. Imazu* 571

Diagnostics of direct CT–PT contact of the coolant channels of PHWRs, *R.I.K. Moorthy, J.K. Sinha, A. Rama Rao, S.K. Sinha and A. Kakodkar* 591

Technical Engineering Note

Some features of the nuclear heating reactor (NHR) design in China, *Y. Shi, H. Chang and D. Dong* 597

Thermal-Hydraulics, Safety and Risk Analysis

Comparison of stress-based and strain-based creep failure criteria for severe accident analysis, *S.A. Chavez, D.L. Kelly, R.J. Witt and D.P. Stirn* 603

Simulation of the unstable oscillatory behavior of single-phase natural circulation with repetitive flow reversals in a rectangular loop using the computer code ATHLET, *P.K. Vijayan, H. Austregesilo and V. Teschendorff* 623

Simulation and analysis of thermal-hydraulic phenomena in a PWR hot leg related to SBLOCA, *M.J. Wang and F. Mayinger* 643

Contents of Volume 155 653

Author Index of Volume 155 657

Subject Index of Volume 155 661

Instructions to Contributors 663